

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

GCSE PHYSICS

Paper 2

Foundation Tier

Friday 15 June 2018

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equation Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the box at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Exam	iner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
TOTAL	



0 1.1	The Sun is a star.	Do not write outside the box
	Which galaxy is the Sun in?	
	Tick one box.	
	[1 mark]	
	Cartwheel	
	Milky Way	
	Starburst	
	Tadpole	
0 1.2	Light takes 500 seconds to travel from the Sun to the Earth.	
	Light travels at 300 000 kilometres per second.	
	Calculate the distance between the Sun and the Earth.	
	Use the equation: distance = speed × time [2 marks]	
	Distance - Lillametree	
	Distance = kilometres	



Table 1 gives information about some of the planets in our solar system.

The planets are in order of increasing distance from the Sun.

Table 1

Planet	Time to orbit the Sun in years
Mercury	0.2
Venus	0.6
Earth	1.0
Mars	
Jupiter	12.0

0 1.3	There are some planets in our solar system missing from Table 1 .	
	How many planets are missing?	[1 mark]
0 1.4	Estimate how many years it takes Mars to orbit the Sun.	[1 mark] years
0 1.5	Calculate how many times Venus will orbit the Sun in 9 years.	[2 marks]
	In 9 years Venus will orbit the Sun	times.

Turn over for the next question



0 2 Figure 1 shows how a concave lens forms an image of an object. Figure 1 Object lmage Λ Concave lens 2 . Which point on Figure 1 marks the position of the principal focus of the lens? Tick one box. [1 mark] 0 2 . 2 Which two words describe the image? Tick two boxes. [2 marks] Enlarged Inverted Real Upright Virtual




0 2 . 3	Calculate the magnification produced by the lens.	o
	Use the equation:	
	Magnification =	
0 2.4	Complete the sentence. Choose an answer from the box. [1 mark]	
	decrease increase not change	
	As the object is moved further away from the lens, the size of the image will	

Turn over for the next question



0 3 Figure 2 shows a ripple tank that a student used to investigate water waves.

Figure 2



0 3.1	The student adjusted the speed of the motor so that the bar hit the water more times each second.
	What happened to the frequency of the waves produced?
	Tick one box. [1 mark]
	Decreased
	Did not change
	Increased
0 3.2	Describe how the frequency of the water waves in the ripple tank can be measured. [2 marks]



Do	not	w	rite
ou	tside	e t	he
	ha		


6

0 3 . 3	The student measured the frequency of the water waves as 5 he	TZ.	
	Calculate the period of the water waves.		
	Use the equation:		
	$period = \frac{1}{frequency}$		
	Choose the unit.		
	metres metres / second seconds		
		[3 marks]	
	Period = Unit		

Turn over for the next question

o 4 Figure 3 shows two paper clips hanging from a bar magnet.

Figure 3



The paper clips have become magnetised.


0 4.1 Label the north and south poles of both paper clips.

[1 mark]

A student investigated how the number of turns of wire on an electromagnet affects the strength of the electromagnet.

Figure 4 shows the equipment used by the student. Throughout the investigation the student kept the current through the wire constant.

Figure 4





0 4.2	The student measured the strength of the electromagnet by counting the number paper clips the electromagnet could hold.		number of	
	Explain why it	was important that the pape	r clips were all the same size.	[2 marks]
	Table 2 shows	the student's results.		
		Number of turns of wire on the electromagnet	Number of paper clips held	
		10 20 30 40	3 6 9 12	
0 4.3	Describe the pa	attern shown in Table 2 .	,	[2 marks]
		Question 4 continues on	the next page	
		Question 4 continues on	the next page	



0 4 . 4	The student then used 50 turns of wire on the electromagnet.	Do not outside
	The electromagnet picked up 18 paper clips. This was more paper clips than the student had expected.	
	Which one is the most likely cause of this result?	
	Tick one box.	
	[1 mark]
	The paper clips used with 50 turns were larger than the others.	
	There were less than 50 turns of wire on the electromagnet.	
	Some of the paper clips were already magnetised.	
0 4 . 5	The student repeated the measurement for 50 turns of wire three more times.	
	This gave her the following set of results.	
	18 16 14 15	
	Explain what the student should now do with the four results for 50 turns of wire. [3 marks]]
		-
		-
		-
		=
		-
		_



0 4.6	The student wrote the hypothesis:
	'Increasing the current through the wire will make the electromagnet stronger.'
	Describe how the student should change the investigation to test this hypothesis. [3 marks]

Turn over for the next question

12

Do not write outside the box



Do not write outside the 0 5 Some objects are transparent and some objects are opaque. 0 5 Which **one** of the objects in **Figure 5** is transparent? Tick one box. [1 mark] Figure 5 Pencil rubber Ceramic mug Book Glass vase 0 5 . 2 Complete the sentence. Choose an answer from the box. [1 mark] reflect absorb transmit An opaque object does not light.



box


A student wears a white T-shirt and a red baseball cap to a party.
5 . 3 Why does the T-shirt look white in white light? [1 mar
5. 4 Explain how the colour of the baseball cap appears to change when the room lights
the party change from white to blue. [2 mark
Question 5 continues on the next page
Quodian o continuos en tilo next pago



A student investigated how the type of surface affects the amount of infrared radiation the surface absorbs.

Figure 6 shows the equipment that the student used.

Figure 6



The metal sheets absorb infrared radiation. The wax melts and the drawing pins fall off the surfaces.

0 5 . 5 In the investigation there are several variables.

Draw **one** line from each variable to the correct description of that variable.


[2 marks]

Variable	Description
Control	Distance from the metal sheets to the infrared heater.
Dependent	The surface colour of the metal sheets.
Independent	Time taken for the drawing pins to fall off.



0 5.6	What is the main hazard in this investigation?	[1 mark]	Do not write outside the box
0 5 . 7	The drawing pin attached to the matt black metal sheet fell off first.		
0 0 . 1	What can be concluded from this result?	[1 mark]	

Turn over for the next question











Figure 8 shows a lifebuoy next to a deep swimming pool.

Figure 8



0 6 . 2	The lifebuoy has a mass of 2.5 kg.				
	gravitational field strength = 9.8 N/kg				
	Calculate the weight of the lifebuoy.				
	Use the equation: weight = mass × gravitational field strength				

Weight = _____ N



[2 marks]

19		
When thrown into the water the lifebuoy floats. The two forces acting on the lifebuoy are the weight of the lifebuoy downwards and upthrust upwards.		
How big is the upthrust on the lifebuoy compared to the weight of the lifebuoy?		
Tick one box. [1 mark]		
The upthrust is greater than the weight.		
The upthrust is less than the weight.		
The upthrust is the same as the weight.		
Write down the equation which links acceleration, mass and resultant force. [1 mark]		
A rope is used to pull the lifebuoy to the side of the swimming pool.		
A resultant force of 4.0 N acts on the lifebuoy.		
The mass of the lifebuoy is 2.5 kg.		
Calculate the acceleration of the lifebuoy. [3 marks]		
	When thrown into the water the lifebuoy floats. The two forces acting on the lifebuoy are the weight of the lifebuoy downwards and upthrust upwards. How big is the upthrust on the lifebuoy compared to the weight of the lifebuoy? Tick one box. [1 mark] The upthrust is greater than the weight. The upthrust is less than the weight. The upthrust is the same as the weight. Write down the equation which links acceleration, mass and resultant force. [1 mark] A rope is used to pull the lifebuoy to the side of the swimming pool. A resultant force of 4.0 N acts on the lifebuoy. The mass of the lifebuoy is 2.5 kg. Calculate the acceleration of the lifebuoy.	

Acceleration =

8



m/s²

0 7 Figure 9 shows a fork-lift truck lifting a heavy crate.

Figure 9

Crate

11 500 N

The crate weighs 11 500 N and is lifted vertically 2.60 m.

Calculate the work done to lift the crate.

Use the equation:

work done = force × distance

Work done = _____ J

[2 marks]

	The weight of the crate causes a clockwise moment of 13 800 Nm about the centre of the front wheel of the fork-lift truck.	C
0 7.2	The weight of the fork-lift truck and driver cause an anticlockwise moment.	
	What is the minimum size of the anticlockwise moment needed so that the fork-lift truck does not topple over?	
	[1 mark]	
0 7.3	Write down the equation which links distance, force and moment of a force. [1 mark]	
0 7.4	Calculate the distance 'd' marked on Figure 9. [3 marks]	
	Distance 'd' =m	
	Turn over for the next question	

2 1

Do not write outside the Figure 10 shows the position of three types of wave in the electromagnetic spectrum. 0 8 Figure 10 Radio Α В C Ultraviolet D X-rays waves Which position shows where visible light is in the spectrum? Tick **one** box. [1 mark] Which one of the statements about electromagnetic waves is correct? 0 8 2 Tick **one** box. [1 mark] Radio waves have a higher frequency than X-rays. Radio waves have a longer wavelength than ultraviolet. X-rays have a longer wavelength than radio waves. X-rays travel faster through the air than ultraviolet. 0 8 3 Give **one** possible danger of exposing your skin to ultraviolet radiation. [1 mark]



box

5

0 8 . 4

Having an X-ray taken exposes a person to ionising radiation.

Table 3 gives the average radiation dose for an X-ray of the chest and an X-ray of the upper digestive system.

Table 3

Part of the body	Radiation dose in millisieverts (mSv)
Upper digestive system	5.0
Chest	0.1

The risk of an X-ray causing cancer is about 1 in 20 000 for each mSv of radiation received.

Compare the risk of developing cancer from having an X-ray of the upper digestive system with the risk from having an X-ray of the chest.

Use the data in Table 3 .	[2 marks]


Turn over for the next question

0 9

Figure 11 shows a container filled with water.

The three holes in the side of the container are sealed with rubber stoppers.

Figure 11



0 9 .

The water exerts a force of 27 N on the bottom of the container.

The cross-sectional area of the bottom of the container is 0.009 m².

Calculate the pressure exerted by the water on the bottom of the container.

Use the equation:

pressure =
$$\frac{\text{force}}{\text{area}}$$

Choose the unit.

[3 marks]


kg/m³	N/m	Pa	
	Pressure =		Unit



The container is put under running water from a tap and the three rubber stoppers removed.

Figure 12 shows the path taken by the water escaping from the top and bottom holes.

Figure 12



0 9. 2 Complete **Figure 12** to show the path taken by the water escaping from the centre hole.

[1 mark]

. 3 What can be concluded from **Figure 12** about the pressure in a liquid?

[1 mark]

Question 9 continues on the next page




9

0 9 . 4

Figure 13 shows a simple model of a liquid.

When a force pushes down on the marbles, the marbles push the sides and bottom of the container outwards.

Figure 13




What can be concluded from this model about the pressure in a liquid?

[1 mark]

6





Turn over ▶

box




1 0 A child drops a ball.

The ball hits the ground and bounces.

Figure 14 shows the velocity-time graph for the ball from when the ball is dropped until when the ball reaches the top of its first bounce.

Air resistance has been ignored.

Figure 14



1 0 . 1	Describe the motion of the ball between points A and B on Figure 14 .	[2 marks]
1 0 . 2	What direction is the ball moving between points C and D on Figure 14 ?	[1 mark]



	The hell and the Feeth forms a soutern	Do not write outside the box
1 0 . 3	The ball and the Earth form a system.	БОХ
	What is meant by 'a system'?	
	Tick one box. [1 mark]	
	A group of objects that interact.	
	Objects with big differences in mass.	
	Objects with gravitational potential energy.	
1 0.4	When the ball hits the ground, energy is transferred from the ball to the Earth.	
	Explain how the data in Figure 14 shows this energy transfer. [4 marks]	
		8
	Turn over for the next question	

1	1

A student carried out an investigation to determine the spring constant of a spring.

Table 4 gives the data obtained by the student.

Table 4

Force	Extension
in N	in cm
0	0.0
2	3.5
4	8.0
6	12.5
8	16.0
10	20.0


1 1.1	Describe a method the student could have used to obtain the data given in Table 4 .
	Your answer should include any cause of inaccuracy in the data.
	Your answer may include a labelled diagram. [6 marks]



		Do not write outside the
		box
		-
		-
		-
		=
		_
		-
		-
		_
		-
		=
1 1.2	The student measured the extension for five different forces rather than just	
[1] 1] . [2]	measuring the extension for one force.	
	Suggest why.	
	[1 mark	I
		-
		=
	Question 11 continues on the next page	

Figure 15 shows some of the data obtained by the student.





1 1 . 3 Complete **Figure 15** by plotting the missing data from **Table 4**.

Draw the line of best fit.

Table 4 is repeated here to help you answer this question.

[2 marks]

Table 4

Force in N	Extension in cm
0	0.0
2	3.5
4	8.0
6	12.5
8	16.0
10	20.0

1 1 . 4 Write down the equation that links extension, force and spring constant.

[1 mark]



		Do not
1 1.5	Calculate the spring constant of the spring that the student used.	Do not write outside the box
	Give your answer in newtons per metre.	
	[4 marks]	
	Spring constant =N/m	
	Hooke's Law states that:	
1 1 . 6	'The extension of an elastic object is directly proportional to the force applied,	
	provided the limit of proportionality is not exceeded.'	
	The student concluded that over the range of force used, the spring obeyed	
	Hooke's Law.	
	Explain how the data supports the student's conclusion.	
	[2 marks]	
	• •	
		16
		1

Turn over for the next question


1 2	P-waves and S-waves are two types of seismic wave caused by earthquakes.		
1 2 . 1			
	Tick one box. [1 mark]		
	P-waves and S-waves are transverse.		
	P-waves and S-waves are longitudinal.		
	P-waves are transverse and S-waves are longitudinal.		
	P-waves are longitudinal and S-waves are transverse.		
	Seismometers on the Earth's surface record the vibrations caused by seismic waves. Figure 16 shows the vibration recorded by a seismometer for one P-wave.		
	Figure 16		
	10 seconds		
1 2.2	Calculate the frequency of the P-wave shown in Figure 16 . [1 mark]		
	Frequency = Hz		



rite he

1 2.3	Write down the equation which links frequency, wavelength and wave speed. [1 mark]	Do not wi outside ti box
1 2.4	The P-wave shown in Figure 16 is travelling at 7200 m/s. Calculate the wavelength of the P-wave. [3 marks]	
	Wavelength = m	
1 2 . 5	Explain why the study of seismic waves provides evidence for the structure of the Earth's core. [2 marks]	
		8
	END OF QUESTIONS	





Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.



box